



## Strictly Necessary Cookies

This type of Cookie allows you to move around our Services more freely and securely. For example, they collect session ID and user authentication information, which allows registered users to perform multiple actions within the same Service visit without having to repeatedly re-enter log-in details each time they navigate to a new webpage or perform a new function. These Cookies also help ensure that you can access registered user-only pages, load web pages faster, and improve overall Service performance, like being able to easily share content.

"Secure" and "True" means those cookies are sent over a secure, HTTPS connection.

"Http" and "True" means those cookies are used over HTTP.

"Session" and "True" means those cookies are removed when the browser is shut down.

"Login" and "True" means those cookies are used to log you in or keep you logged in.

First Party					
Host	Name	Secure	Http	Session	Login
.splunk.com; newopsdays.org; docs.splunk.com; community.splunk.com; victorops.com; portal.victorops.com; dev.splunk.com	OptanonAlertBoxClosed	FALSE	FALSE	FALSE	FALSE
workplus.splunk.com	swift.sid	FALSE	TRUE	FALSE	FALSE
.splunk.com; idp.login.splunk.com	sid	FALSE	FALSE	FALSE	FALSE
.splunk.com	sails.sid	FALSE	TRUE	FALSE	FALSE
.splunk.com	splunk.login.sid	FALSE	TRUE	FALSE	FALSE
.splunk.com	SPLUNK_USER_LOGIN_STATUS	FALSE	FALSE	TRUE	FALSE
.splunk.com	SPLUNK_SUB_SIGNUP	FALSE	FALSE	TRUE	FALSE
.splunk.com	SPLUNK_SUB_LOGIN	FALSE	FALSE	TRUE	FALSE
victorops.com	PLAY_SESSION	TRUE	TRUE	TRUE	FALSE
help.victorops.com	__adroll_consent_params	FALSE	FALSE	FALSE	FALSE
community.splunk.com	LithiumVisitor	TRUE	TRUE	FALSE	FALSE
community.splunk.com	LithiumUserSecure	TRUE	TRUE	FALSE	FALSE
community.splunk.com	LithiumUserInfo	TRUE	TRUE	FALSE	FALSE
community.splunk.com	LithiumCookiesAccepted	TRUE	TRUE	FALSE	FALSE
.splunk.com	_dc_gtm_UA-xxxxxxx	FALSE	FALSE	FALSE	FALSE
education.splunk.com	JSESSIONID	TRUE	TRUE	TRUE	FALSE
.splunk.com; dev.splunk.com; newopsdays.org; docs.splunk.com; community.splunk.com	OptanonConsent	FALSE	FALSE	FALSE	FALSE
.victorops.com	OptanonConsent	FALSE	FALSE	FALSE	FALSE
.portal.victorops.com	OptanonConsent	FALSE	FALSE	FALSE	FALSE
my.phantom.us; usergroups.splunk.com	csrftoken	FALSE	FALSE	FALSE	FALSE
usergroups.splunk.com; community.splunk.com	eupubconsent	FALSE	FALSE	FALSE	FALSE
usergroups.splunk.com	correlation_key	TRUE	FALSE	TRUE	FALSE
splunk.com	Apache	FALSE	FALSE	FALSE	FALSE
conf.splunk.com	ooyala_cookie_test	FALSE	FALSE	TRUE	FALSE
docs.splunk.com	ponydocs_session	TRUE	FALSE	TRUE	FALSE
workplus.splunk.com; docs.splunk.com; community.splunk.com; answers.splunk.com	AWSALBCORS	TRUE	FALSE	FALSE	FALSE

community.splunk.com	LiSESSIONID	TRUE	TRUE	TRUE	FALSE
community.splunk.com	VISITOR_BEACON	TRUE	FALSE	FALSE	FALSE
docs.splunk.com; workplus.splunk.com; community.splunk.com	AWSALB	TRUE	FALSE	FALSE	FALSE

### Third Party

Host	Name	Secure	Http	Session	Login
.cookiecaw.org	__cfduid	TRUE	TRUE	FALSE	FALSE
.onetrust.com	__cfduid	TRUE	TRUE	FALSE	FALSE



## Performance Cookies

This type of Cookie tracks behavior on our Services, such as counting the number of visitors, how they move around our Services (e.g., which pages they visit and whether they experience any errors). The information collected by these Cookies is used only to help us improve our Services, better understand user interests, and measure the effectiveness of our advertising generally.

"Secure" and "True" means those cookies are sent over a secure, HTTPS connection.

"Http" and "True" means those cookies are used over HTTP.

"Session" and "True" means those cookies are removed when the browser is shut down.

"Login" and "True" means those cookies are used to log you in or keep you logged in.

First Party					
Host	Name	Secure	Http	Session	Login
splunk.com	__utmb	FALSE	FALSE	FALSE	FALSE
splunk.com	__utmc	FALSE	FALSE	TRUE	FALSE
splunk.com	__utmt	FALSE	FALSE	FALSE	FALSE
.splunk.com	__utmv	FALSE	FALSE	FALSE	FALSE
.splunk.com	__utmz	FALSE	FALSE	FALSE	FALSE
.splunk.com; newopsdays.org	__biz_nA	FALSE	FALSE	FALSE	FALSE
.splunk.com; newopsdays.org	__biz_pendingA	FALSE	FALSE	FALSE	FALSE
.splunk.com; newopsdays.org	__biz_sid	FALSE	FALSE	FALSE	FALSE
.splunk.com; newopsdays.org	__biz_uid	FALSE	FALSE	FALSE	FALSE
education.splunk.com; lantern.splunk.com; .splunk.com; usergroups.splunk.com	_ga	FALSE	FALSE	FALSE	FALSE
.education.splunk.com; .splunk.com	_gat	FALSE	FALSE	FALSE	FALSE
usergroups.splunk.com; splunk.com	_gat_UA-	FALSE	FALSE	FALSE	FALSE
.education.splunk.com; lantern.splunk.com; .splunk.com; usergroups.splunk.com	_gid	FALSE	FALSE	FALSE	FALSE
docs.splunk.com; splunk.com	s_xxxx	TRUE	TRUE	TRUE	FALSE
.splunk.com	__kti	FALSE	FALSE	FALSE	FALSE
.splunk.com	__kts	FALSE	FALSE	TRUE	FALSE
splunk.com	__utma	FALSE	FALSE	FALSE	FALSE
.splunk.com	__ktt	FALSE	FALSE	TRUE	FALSE
.splunk.com	__ktv	FALSE	FALSE	FALSE	FALSE
.splunk.com	s-9da4	FALSE	FALSE	FALSE	FALSE
.splunk.com	smcx_0_last_shown_at	FALSE	FALSE	TRUE	FALSE
.splunk.com	dc	FALSE	FALSE	TRUE	FALSE
.splunk.com	driftt_sid	FALSE	FALSE	FALSE	FALSE
.splunk.com	d-a8e6	FALSE	FALSE	FALSE	FALSE
.splunk.com	__hjid	FALSE	FALSE	FALSE	FALSE
.splunk.com; observability.splunk.com; embargo.splunk.com; login.splunk.com	outbrain_cid_fetch	FALSE	FALSE	FALSE	FALSE
.splunk.com; victorops.com	_hjFirstSeen	FALSE	FALSE	FALSE	FALSE
.splunk.com; victorops.com	_hjAbsoluteSessionInProgress	FALSE	FALSE	FALSE	FALSE

.splunk.com; victorops.com	_hjTLDTest	FALSE	FALSE	TRUE	FALSE
.splunk.com; victorops.com	_gclxxxx	FALSE	FALSE	FALSE	FALSE
.splunk.com	_uetvid	FALSE	FALSE	FALSE	FALSE
.splunk.com	RT	FALSE	FALSE	FALSE	FALSE
.splunk.com; victorops.com	_hp2_hld	FALSE	FALSE	FALSE	FALSE
.splunk.com	_hjSession_XXXXXX	FALSE	FALSE	FALSE	FALSE
.splunk.com; victorops.com	_hjSessionUser_XXXXXX	FALSE	FALSE	FALSE	FALSE
conf.splunk.com; www.observability.splunk.com; login.splunk.com; help.victorops.com	_hjiIncludedInPageviewSample	FALSE	FALSE	FALSE	FALSE
splunk.com	test	FALSE	FALSE	TRUE	FALSE
account.splunk.com; conf.splunk.com; embargo.splunk.com; events.splunk.com; explore.splunk.com; live.splunk.com; login.splunk.com; splunklive.splunk.com; www.splunk.com	_hjiIncludedInSessionSample	FALSE	FALSE	TRUE	FALSE
account.splunk.com; conf.splunk.com; embargo.splunk.com; events.splunk.com; explore.splunk.com; lantern.splunk.com; live.splunk.com; login.splunk.com; preview.splunkbase.splunk.com; splunklive.splunk.com; www.splunk.com; observability.splunk.com	acCode	FALSE	FALSE	FALSE	FALSE
.splunk.com	AKA_A2	TRUE	FALSE	FALSE	FALSE
.splunk.com	optimizelyBuckets	FALSE	FALSE	FALSE	FALSE
.splunk.com	optimizelyEndUserId	FALSE	FALSE	FALSE	FALSE
.splunk.com	optimizelyPendingLogEvents	FALSE	FALSE	FALSE	FALSE
.splunk.com	optimizelySegments	FALSE	FALSE	FALSE	FALSE
splunk.com	optimizelyDomainTestCookie	FALSE	FALSE	FALSE	FALSE
.splunk.com	SPLUNK_SUB_LOGIN	FALSE	FALSE	TRUE	FALSE
.splunk.com	SPLUNK_SUB_SIGNUP	FALSE	FALSE	TRUE	FALSE
account.splunk.com; conf.splunk.com; embargo.splunk.com; events.splunk.com; explore.splunk.com; lantern.splunk.com; live.splunk.com; login.splunk.com; preview.splunkbase.splunk.com; splunklive.splunk.com; www.splunk.com	vaid	FALSE	FALSE	FALSE	FALSE
conf.splunk.com; embargo.splunk.com; events.splunk.com; explore.splunk.com; lantern.splunk.com; live.splunk.com; splunklive.splunk.com; account.splunk.com; login.splunk.com; preview.splunkbase.splunk.com; www.splunk.com	vlmref	TRUE	FALSE	FALSE	FALSE
newspdays.org; splunk.com	_biz_kvpa	FALSE	FALSE	FALSE	FALSE
victorops.com	_biz_sid	FALSE	FALSE	FALSE	FALSE
help.victorops.com	ga-disable-	FALSE	FALSE	FALSE	FALSE
victorops.com	intercom-id-XXXXXXXX	FALSE	FALSE	FALSE	FALSE
victorops.com	intercom-session-XXXXXXXX	FALSE	FALSE	FALSE	FALSE
victorops.com	_biz_kvpa	FALSE	FALSE	FALSE	FALSE
victorops.com; splunk.com; newspdays.org	_biz_flagsA	FALSE	FALSE	FALSE	FALSE
victorops.com; splunk.com; newspdays.org	_biz_dfsA	FALSE	FALSE	FALSE	FALSE
.victorops.com	_hjid	FALSE	FALSE	FALSE	FALSE

.victorops.com	_gat_UA-	FALSE	FALSE	FALSE	FALSE
.victorops.com	_biz_uid	FALSE	FALSE	FALSE	FALSE
.victorops.com	_biz_nA	FALSE	FALSE	FALSE	FALSE
.victorops.com	_gid	FALSE	FALSE	FALSE	FALSE
.victorops.com	_biz_pendingA	FALSE	FALSE	FALSE	FALSE
.victorops.com	_ga	FALSE	FALSE	FALSE	FALSE
signalfx.com	__tld__	FALSE	FALSE	TRUE	FALSE
dev.splunk.com	experience_id	FALSE	FALSE	TRUE	FALSE
dev.splunk.com	token_key	FALSE	FALSE	TRUE	FALSE

### Third Party

Host	Name	Secure	Http	Session	Login
.bizible.com	_BUID	TRUE	FALSE	FALSE	FALSE
bugcrowd.com	__cf_bm	TRUE	TRUE	FALSE	FALSE
sitesearch360.com	__cfduid	FALSE	TRUE	FALSE	FALSE
app.jobvite.com	ADRUm_BT1	TRUE	TRUE	FALSE	FALSE
app.jobvite.com	ADRUm_BTa	TRUE	TRUE	FALSE	FALSE
script.hotjar.com	_hjIncludedInSessionSample	FALSE	FALSE	FALSE	FALSE
script.hotjar.com	_hjIncludedInPageviewSample	FALSE	FALSE	FALSE	FALSE
j.6sc.co	_gd#####	TRUE	FALSE	FALSE	FALSE
t.contentsquare.net	_cs_same_site	FALSE	FALSE	TRUE	FALSE
vidassets.terminus.services	s-9da4	FALSE	FALSE	FALSE	FALSE
t.contentsquare.net	_cs_id	TRUE	FALSE	FALSE	FALSE
ws.zoominfo.com	visitorId	TRUE	TRUE	FALSE	FALSE
ws.zoominfo.com	_pxhd	TRUE	TRUE	TRUE	FALSE
t.contentsquare.net	_cs_c	TRUE	FALSE	FALSE	FALSE
t.contentsquare.net	_cs_s	FALSE	FALSE	FALSE	FALSE
zoominfo.com	__cf_bm	TRUE	TRUE	FALSE	FALSE
js.drifft.com	drifft_sid	FALSE	FALSE	FALSE	FALSE
js.drifft.com	DFTT_END_USER_PREV_BOOTSTRAPPED	FALSE	FALSE	FALSE	FALSE
t.contentsquare.net	_cs_id	FALSE	FALSE	FALSE	FALSE
vidassets.terminus.services	d-a8e6	FALSE	FALSE	FALSE	FALSE
js.drifft.com	drifft_aid	FALSE	FALSE	FALSE	FALSE
tr.outbrain.com	outbrain_cid_fetch	FALSE	FALSE	FALSE	FALSE
t.contentsquare.net	_cs_nnnnnnnnnnn	TRUE	FALSE	FALSE	FALSE
bizibly.com	_BUID	FALSE	FALSE	FALSE	FALSE
dpx.airpr.com	an_airpr_recent_visit	TRUE	TRUE	FALSE	FALSE
.pingdom.net	__cfduid	FALSE	TRUE	FALSE	FALSE
analytics.vendemore.com	vaId	TRUE	FALSE	FALSE	FALSE
.nr-data.net	JSESSIONID	TRUE	FALSE	TRUE	FALSE



## Functionality Cookies

This type of Cookie allows us to manage and control variations of Services and provide enhanced services, like being able to watch a video or comment on a blog. Splunk also uses this type of Cookie to collect information regarding your preferences on our Services, including your preferences for language, currency, text size, fonts, and any other parts of our Services that are customizable.

"Secure" and "True" means those cookies are sent over a secure, HTTPS connection.

"Http" and "True" means those cookies are used over HTTP.

"Session" and "True" means those cookies are removed when the browser is shut down.

"Login" and "True" means those cookies are used to log you in or keep you logged in.

First Party					
Host	Name	Secure	Http	Session	Login
docs.splunk.com	ponydocs_session	TRUE	TRUE	TRUE	FALSE
www.splunk.com	DFTT_END_USER_PREV_BOOTSTRAP	FALSE	FALSE	FALSE	FALSE
.splunk.com	_gd#####	FALSE	FALSE	TRUE	FALSE
conf.splunk.com; www.observability.splunk.com; embargo.splunk.com; lantern.splunk.com; login.splunk.com; preview.splunkbase.splunk.com; www.splunk.com	_gd#####	TRUE	FALSE	FALSE	FALSE
signalfx.com	ajs%3Acookies	FALSE	FALSE	FALSE	FALSE
signalfx.com	ajs%3Atest	FALSE	FALSE	FALSE	FALSE
splunk.com	ajs%3Acookies	FALSE	FALSE	FALSE	FALSE
splunk.com	ajs%3Atest	FALSE	FALSE	FALSE	FALSE
splunk.com; signalfx.com	__td__	FALSE	FALSE	TRUE	FALSE
splunk.com	JSESSIONID-WWW	TRUE	TRUE	FALSE	FALSE
splunk.com	XARAYASID	FALSE	TRUE	FALSE	FALSE
splunk.com	ajs_anonymous_id	FALSE	FALSE	TRUE	FALSE
.signalfx.com	ajs_anonymous_id	FALSE	FALSE	FALSE	FALSE
.victorops.com	ajs_anonymous_id	FALSE	FALSE	FALSE	FALSE
.splunk.com	__lc.visitor_id.nnnnnnn	FALSE	FALSE	FALSE	FALSE
.splunk.com	_gali	FALSE	FALSE	FALSE	FALSE
.education.splunk.com	_gat_ldeTracker	FALSE	FALSE	FALSE	FALSE
docs.splunk.com; wiki.splunk.com	AWSALB	FALSE	FALSE	FALSE	FALSE
.splunk.com	lc_sso3988321	FALSE	FALSE	FALSE	FALSE
.splunk.com	lc_window_state	FALSE	FALSE	TRUE	FALSE
docs.splunk.com	ponydocs_session	TRUE	FALSE	TRUE	FALSE
education.splunk.com	SE	TRUE	TRUE	FALSE	FALSE
education.splunk.com	ssi--lastInteraction	FALSE	FALSE	FALSE	FALSE
education.splunk.com	ssi--sessionId	FALSE	FALSE	FALSE	FALSE
answers.splunk.com	TH_CSRF	TRUE	FALSE	TRUE	FALSE
answers.splunk.com	TH_JS_SUPPORT	TRUE	FALSE	TRUE	FALSE
splunk.com; victorops.com	ELOQUA	FALSE	FALSE	FALSE	FALSE
api.web.splunk.com	_sp_xxxxxxxxxx	FALSE	FALSE	FALSE	FALSE
api.web.splunk.com	_sp	FALSE	TRUE	FALSE	FALSE

Third Party					
Host	Name	Secure	Http	Session	Login
surveymonkey.com	cdp_seg	TRUE	FALSE	FALSE	FALSE
www.recaptcha.net	_GRECAPTCHA	TRUE	TRUE	FALSE	FALSE
yahoo.co.jp	XB	TRUE	TRUE	FALSE	FALSE
app.jobvite.com	SameSite	TRUE	TRUE	FALSE	FALSE
app.jobvite.com	JSESSIONID	TRUE	TRUE	TRUE	FALSE
app.jobvite.com	AWSELB	TRUE	TRUE	TRUE	FALSE
cdn.sitesearch360.com	ssi--sessionId	FALSE	FALSE	FALSE	FALSE
cdn.sitesearch360.com	ssi--lastInteraction	FALSE	FALSE	FALSE	FALSE
na-gateway.mastercard.com	TS01fb1f2f	TRUE	FALSE	TRUE	FALSE
pingdom.net	__cfduid	FALSE	TRUE	FALSE	FALSE
zoominfo.com	__cfduid	TRUE	TRUE	FALSE	FALSE
t.contentsquare.net	_cs_c	TRUE	FALSE	FALSE	FALSE
widget.surveymonkey.com	SM_COOKIE	TRUE	FALSE	FALSE	FALSE
bugcrowd.com	_crowdcontrol_session	TRUE	TRUE	TRUE	FALSE
acct.bizible.com	ARRAffinity	TRUE	TRUE	TRUE	FALSE
acct.bizible.com	ARRAffinitySameSite	TRUE	TRUE	TRUE	FALSE
.jobvite.com	wwcsrf	TRUE	TRUE	FALSE	TRUE
.vimeo.com	vuid	TRUE	FALSE	FALSE	FALSE
api.web.splunk.com	_sp_XXXXXXXXXX	FALSE	FALSE	FALSE	FALSE
api.web.splunk.com	_sp	FALSE	TRUE	FALSE	FALSE



## Advertising Cookies

This type of Cookie tracks behavior on our Services, such as counting the number of visitors, how they move around our Services (e.g., which pages they visit and whether they experience any errors). The information collected by these Cookies is used only to help us improve our Services, better understand user interests, and measure the effectiveness of our advertising generally.

"Secure" and "True" means those cookies are sent over a secure, HTTPS connection.

"Http" and "True" means those cookies are used over HTTP.

"Session" and "True" means those cookies are removed when the browser is shut down.

"Login" and "True" means those cookies are used to log you in or keep you logged in.

First Party					
Host	Name	Secure	Http	Session	Login
.splunk.com	__qca	FALSE	FALSE	FALSE	FALSE
splunk.com	_dlt	FALSE	FALSE	FALSE	FALSE
splunklive.splunk.com; login.splunk.com; .splunk.com; account.splunk.com; www.splunk.com	_cs_c	FALSE	FALSE	FALSE	FALSE
www.splunk.com; account.splunk.com; .splunk.com	_cs_id	FALSE	FALSE	FALSE	FALSE
.splunk.com	trackAffiliate	FALSE	FALSE	FALSE	FALSE
.splunk.com; observability.splunk.com	acCode	FALSE	FALSE	FALSE	FALSE
.splunk.com; observability.splunk.com; embargo.splunk.com; login.splunk.com	_an_uid	TRUE	FALSE	FALSE	FALSE
.splunk.com	_uetsid	FALSE	FALSE	FALSE	FALSE
.splunk.com	_cs_root-domain	FALSE	FALSE	TRUE	FALSE
.splunk.com	_cs_nnnnnnnnnnnnn	FALSE	FALSE	FALSE	FALSE
.splunk.com; conf.splunk.com; embargo.splunk.com; lantern.splunk.com; login.splunk.com; observability.splunk.com; preview.splunkbase.splunk.com; www.splunk.com	_cs_nnnnnnnnnnnnn	FALSE	FALSE	TRUE	FALSE
.splunk.com; education.splunk.com; lantern.splunk.com	_gat_xxxxxxxxxxxxxxxxxxxxxxxxxx	FALSE	FALSE	FALSE	FALSE
.splunk.com	_gat_gtag_xxxxxxxxxxxxxxxxxxxxxx	FALSE	FALSE	FALSE	FALSE
.splunk.com; www.splunk.com; account.splunk.com	_cs_s	FALSE	FALSE	FALSE	FALSE
.splunk.com	_fbp	FALSE	FALSE	FALSE	FALSE
www.splunk.com	drift_campaign_refresh	TRUE	FALSE	FALSE	FALSE
.splunk.com	_cs_same_site	TRUE	FALSE	TRUE	FALSE
.splunk.com	_cs_mk	FALSE	FALSE	FALSE	FALSE
www.splunk.com	drift_aid	TRUE	FALSE	FALSE	FALSE
.splunk.com; www.splunk.com	drift_aid	FALSE	FALSE	FALSE	FALSE
.splunk.com	_hp2_ses_props.#####	FALSE	FALSE	FALSE	FALSE
.splunk.com	_hp2_id.#####	FALSE	FALSE	FALSE	FALSE
.splunk.com	AMCV_	FALSE	FALSE	FALSE	FALSE
www.splunk.com	AMCVS	FALSE	FALSE	TRUE	FALSE



.victorops.com	_hp2_id.#####	FALSE	FALSE	FALSE	FALSE
.victorops.com	_hp2_ses_props.#####	FALSE	FALSE	FALSE	FALSE
.victorops.com	__auc	FALSE	FALSE	FALSE	FALSE
.victorops.com	ajs_group_id	FALSE	FALSE	FALSE	FALSE
.victorops.com	_fbp	FALSE	FALSE	FALSE	FALSE
.victorops.com	__asc	FALSE	FALSE	FALSE	FALSE
splunk.com	ajs_group_id	FALSE	FALSE	FALSE	FALSE
.signalfx.com	ajs_group_id	FALSE	FALSE	FALSE	FALSE

### Third Party

Host	Name	Secure	Http	Session	Login
d2hya7iqhf5w3h.cloudfront.net	vimref	TRUE	FALSE	FALSE	FALSE
js.driftt.com	drift_campaign_refresh	TRUE	FALSE	FALSE	FALSE
j.6sc.co	_an_uid	TRUE	FALSE	FALSE	FALSE
6sc.co	6suuid	TRUE	FALSE	FALSE	FALSE
ispot.tv	pt	TRUE	FALSE	FALSE	FALSE
box.com	site_preference	TRUE	TRUE	TRUE	FALSE
box.com	box_visitor_id	TRUE	TRUE	FALSE	FALSE
app.box.com	z	TRUE	TRUE	TRUE	FALSE
app.box.com	cn	TRUE	TRUE	FALSE	FALSE
app.box.com	bv	TRUE	TRUE	FALSE	FALSE
ninthdecimal.com	ndat	TRUE	FALSE	FALSE	FALSE
zeotap.com	zc	TRUE	FALSE	FALSE	FALSE
zeotap.com	zsc	TRUE	FALSE	FALSE	FALSE
ads.samba.tv	sambapxid	TRUE	FALSE	FALSE	FALSE
myvisualiq.net	c	FALSE	FALSE	FALSE	FALSE
myvisualiq.net	tuuid	FALSE	FALSE	FALSE	FALSE
myvisualiq.net	tuuid_lu	FALSE	FALSE	FALSE	FALSE
d2hya7iqhf5w3h.cloudfront.net	vaid	TRUE	FALSE	FALSE	FALSE
analytics.vendemore.com	vaid	TRUE	FALSE	FALSE	FALSE
analytics.vendemore.com	vaid	FALSE	FALSE	FALSE	FALSE
.adnxs.com	anj	TRUE	TRUE	FALSE	FALSE
.linkedin.com	bcookie	TRUE	TRUE	FALSE	FALSE
.bidr.io	bito	TRUE	FALSE	FALSE	FALSE
.bidr.io	bitolsSecure	TRUE	FALSE	FALSE	FALSE
bidr.io	checkForPermission	TRUE	FALSE	FALSE	FALSE
.eloqua.com	ELOQUA	TRUE	FALSE	FALSE	FALSE
amazon-adsystem.com	ad-privacy	TRUE	TRUE	FALSE	FALSE
amazon-adsystem.com	ad-id	TRUE	TRUE	FALSE	FALSE
imgur.com	postpagebeta	FALSE	FALSE	FALSE	FALSE
.facebook.com	fr	TRUE	TRUE	FALSE	FALSE
.facebook.com		FALSE	FALSE	TRUE	FALSE
.youtube.com	CONSENT	TRUE	FALSE	FALSE	FALSE
.doubleclick.net	IDE	TRUE	TRUE	FALSE	FALSE
www.linkedin.com	JSESSIONID	TRUE	FALSE	TRUE	FALSE
cdn.syndication.twimg.com	lang	FALSE	FALSE	TRUE	FALSE
.linkedin.com	lidc	TRUE	FALSE	FALSE	FALSE
.linkedin.com	AnalyticsSyncHistory	TRUE	FALSE	FALSE	FALSE

.linkedin.com	li_gc	TRUE	TRUE	FALSE	FALSE
.linkedin.com	lissc	TRUE	FALSE	FALSE	FALSE
.quantserve.com	mc	FALSE	FALSE	FALSE	FALSE
.bing.com	MUID	TRUE	FALSE	FALSE	FALSE
.google.com	NID	TRUE	TRUE	FALSE	FALSE
.google.com	_GRECAPTCHA	TRUE	TRUE	FALSE	FALSE
.twitter.com	personalization_id	TRUE	FALSE	FALSE	FALSE
.doubleclick.net	test_cookie	TRUE	TRUE	FALSE	FALSE
.company-target.com	tuuid	TRUE	TRUE	FALSE	FALSE
.company-target.com	tuuid_lu	TRUE	TRUE	FALSE	FALSE
.twitter.com	twl	FALSE	FALSE	FALSE	FALSE
.linkedin.com	UserMatchHistory	TRUE	FALSE	FALSE	FALSE
.adnxs.com	uuid2	TRUE	FALSE	FALSE	FALSE
analytics.vendemore.com	void	TRUE	FALSE	FALSE	FALSE
.youtube.com	YSC	TRUE	TRUE	TRUE	FALSE
pi.pardot.com	pardot	FALSE	FALSE	TRUE	FALSE
.linkedin.com	lang	TRUE	FALSE	TRUE	FALSE
ads.linkedin.com	lang	TRUE	FALSE	TRUE	FALSE
.quantserve.com	mc	FALSE	FALSE	FALSE	FALSE
.twitter.com	personalization_id	FALSE	FALSE	FALSE	FALSE
www.linkedin.com	bscookie	TRUE	TRUE	FALSE	FALSE
cdn.syndication.twimg.com	lang	FALSE	FALSE	TRUE	FALSE
www.slideshare.net	language	FALSE	FALSE	TRUE	FALSE
.demdex.net	demdex	TRUE	FALSE	FALSE	FALSE
adform.net	C	FALSE	FALSE	FALSE	FALSE
.bluekai.com	bkpa	FALSE	FALSE	FALSE	FALSE
.bluekai.com	bku	FALSE	FALSE	FALSE	FALSE
mookie1.com	ov	FALSE	FALSE	FALSE	FALSE
mookie1.com	id	FALSE	FALSE	FALSE	FALSE
mookie1.com	mdata	FALSE	FALSE	FALSE	FALSE
serving-sys.com	eyebalster	FALSE	FALSE	FALSE	FALSE
serving-sys.com	u2	FALSE	FALSE	FALSE	FALSE
bidswitch.net	c	TRUE	FALSE	FALSE	FALSE
casalemedia.com	CMST	FALSE	FALSE	FALSE	FALSE
casalemedia.com	CMID	FALSE	FALSE	FALSE	FALSE
casalemedia.com	CMPS	FALSE	FALSE	FALSE	FALSE
semasio.net	SEUNCY	TRUE	TRUE	FALSE	FALSE
ads.stickyadstv.com	sessionId	FALSE	FALSE	TRUE	FALSE
ads.stickyadstv.com	uid-bp-xxxx	FALSE	FALSE	FALSE	FALSE
ads.stickyadstv.com	UID	FALSE	FALSE	FALSE	FALSE
openx.net	i	FALSE	FALSE	FALSE	FALSE
advertising.com	APID	TRUE	FALSE	FALSE	FALSE
yahoo.co.jp	B	TRUE	TRUE	FALSE	FALSE
yahoo.co.jp	A	TRUE	TRUE	FALSE	FALSE
yahoo.co.jp	XA	TRUE	TRUE	FALSE	FALSE
yahoo.com	APID	TRUE	TRUE	FALSE	FALSE
yahoo.com	APIDTS	TRUE	TRUE	FALSE	FALSE
bs.serving-sys.com	r1	FALSE	FALSE	TRUE	FALSE
spotxchange.com	audience	FALSE	FALSE	FALSE	FALSE

analytics.yahoo.com	IDSYNC	TRUE	TRUE	FALSE	FALSE
bidswitch.net	tuuid	TRUE	FALSE	FALSE	FALSE
bidswitch.net	tuuid_lu	TRUE	FALSE	FALSE	FALSE
krxd.net	_kuid_	FALSE	FALSE	FALSE	FALSE
pubmatic.com	KTPCACOOKIE	TRUE	FALSE	FALSE	FALSE
agkn.com	ab	TRUE	FALSE	FALSE	FALSE
.scorecardresearch.com	UID	FALSE	FALSE	FALSE	FALSE
.yahoo.com	A3	TRUE	TRUE	FALSE	FALSE
www.ustream.tv	PHPSESSID	TRUE	FALSE	TRUE	FALSE
.yahoo.com	b	TRUE	TRUE	FALSE	FALSE
.dpm.demdex.net	dpm	TRUE	FALSE	FALSE	FALSE
.eloqua.com	ELQSTATUS	TRUE	FALSE	FALSE	FALSE
.taboola.com	t_gid	TRUE	FALSE	FALSE	FALSE
.youtube.com	VISITOR_INFO1_LIVE	TRUE	TRUE	FALSE	FALSE
www.ustream.tv	ustream-guest	TRUE	TRUE	TRUE	FALSE



## Additional Third-party Providers and Their Services

Below are additional third-party managed services used in connection with Splunk's website to help tailor offers and target advertising to you based on your activities and likely interests. These services do so by comparing hashed (pseudonymized) information about you from Splunk with hashed (pseudonymized) information about you that those third parties hold.

"Secure" and "True" means those cookies are sent over a secure, HTTPS connection.

"Http" and "True" means those cookies are used over HTTP.

"Session" and "True" means those cookies are removed when the browser is shut down.

"Login" and "True" means those cookies are used to log you in or keep you logged in.

Third Party			
Company	Privacy Policy	Ad Preference Information	Category
Google	<a href="https://policies.google.com/privacy?hl=en">https://policies.google.com/privacy?hl=en</a>	<a href="https://adssettings.google.com/">https://adssettings.google.com/</a>	Advertising
Facebook	<a href="http://www.facebook.com/about/privacy/">http://www.facebook.com/about/privacy/</a>	<a href="https://www.facebook.com/ads/settings">https://www.facebook.com/ads/settings</a>	Advertising
LinkedIn	<a href="http://www.linkedin.com/legal/privacy-policy">http://www.linkedin.com/legal/privacy-policy</a>	<a href="https://www.linkedin.com/help/linkedin/answer/90274/manage-your-linkedin-ads-settings?lang=en">https://www.linkedin.com/help/linkedin/answer/90274/manage-your-linkedin-ads-settings?lang=en</a>	Advertising
Twitter	<a href="https://twitter.com/en/privacy">https://twitter.com/en/privacy</a>	<a href="https://help.twitter.com/en/safety-and-security/privacy-controls-for-tailored-ads">https://help.twitter.com/en/safety-and-security/privacy-controls-for-tailored-ads</a>	Advertising