Splunk Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.4)

Product Name/Version:	Splunk Enterprise Security Version 7.0
Product Description:	Splunk Enterprise Security or ES is the industry leader in security information and event management. It provides insights to quickly detect and respond to internal and external attacks. ES simplifies threat management with end-to-end visibility across all machine data and provides security intelligence for continuous monitoring and incident response.
Date:	November 23, 2021
Contact Information:	Erick Ingleby, Director of Product Management Splunk Inc. email: eingleby@splunk.com
Notes:	This document is an increment to prior VPAT for Splunk Enterprise Security version 6.2.0.
Evaluation Methods Used:	Automated evaluation scans and manual evaluation by experienced reviewers.

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes: The Splunk ES application is a web-based application only. Therefore, the following references from the conformance level and remarks columns have been removed: Electronic Docs, Software, Close, and Authoring Tools.

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.8.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs)	Web: Supports	Web: The application meets the non-text content requirements.
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 1.2.1 Audio-only and Video-only (Prerecorded) (Level A)		
Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable	Web: Splunk ES does not contain any pre-recorded audio or video
1.2.2 Captions (Prerecorded) (Level A)	Web: Not Applicable	Web: Splunk ES does not have any audio captions

Also applies to:		
EN 301 549 Criteria		
• 9.1.2.2 (Web)		
• 10.1.2.2 (Non-web document)		
• 11.1.2.2 (Open Functionality Software)		
• 11.1.2.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.2.3 (Web)		
• 10.1.2.3 (Non-web document)		
• 11.1.2.3.1 (Open Functionality Software)		
• 11.1.2.3.2 (Closed Software)	Web: Not Applicable	Web: Splunk ES does not have any pre-recorded media
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A)		Wah: Information structure and relationships convoyed
Also applies to:		Web: Information, structure, and relationships conveye through presentation can be programmatically
EN 301 549 Criteria		determined or are available in text where applicable in
• 9.1.3.1 (Web)	INVAN: Dartially Sunnorts	the application. There are a few list items application
• 10.1.3.1 (Non-web document)		that are not marked up, but this did not impact the use
• 11.1.3.1.1 (Open Functionality Software)		of screen readers
• 11.1.3.1.2 (Closed Software)		or screen reducts
• 11.8.2 (Authoring Tool)		

 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 	
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.2 (Web)	
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 	
 504.2 (Authoring Tool) 602.3 (Support Docs) 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 	
● 602.3 (Support Docs) 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria ● 9.1.3.2 (Web)	
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.2 (Web)	
Also applies to: EN 301 549 Criteria • 9.1.3.2 (Web)	
EN 301 549 Criteria • 9.1.3.2 (Web)	
• 9.1.3.2 (Web)	
10.1.3.2 (Non-web document)	
- Interest the deconnected	
• 11.1.3.2.1 (Open Functionality Software)	
• 11.1.3.2.2 (Closed Software) Web: The application supports meaningful seq	uence as
• 11.8.2 (Authoring Tool) Web: Supports it relates to reading and navigation order.	
• 12.1.2 (Product Docs)	
• 12.2.4 (Support Docs)	
Revised Section 508	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
• 602.3 (Support Docs)	
1.3.3 Sensory Characteristics (Level A)	
Also applies to:	
EN 301 549 Criteria	
• 9.1.3.3 (Web)	
• 10.1.3.3 (Non-web document)	
• 11.1.3.3 (Open Functionality Software) Web: The application meets compliance requires the second	
• 11.1.3.3 (Closed Software) • 11.1.3.3 (Closed Software) Web: Supports for instruction not relying on shape, size, or visible to the state of	uai
• 11.8.2 (Authoring Tool)	
• 12.1.2 (Product Docs)	
• 12.2.4 (Support Docs)	
Revised Section 508	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
• 602.3 (Support Docs)	

4.4.41	1	
1.4.1 Use of Color (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.1 (Web)		
• 10.1.4.1 (Non-web document)		
• 11.1.4.1 (Open Functionality Software)		Web: The application supports color-coding and
• 11.1.4.1 (Closed Software)	1	additional methods being used to convey content or
• 11.8.2 (Authoring Tool)		distinguish visual elements.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.2 Audio Control (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.2 (Web)		
• 10.1.4.2 (Non-web document)		
 11.1.4.2 (Open Functionality Software) 		NA/ob. There is no cute playing and is included in the
• 11.1.4.2 (Closed Software)	IVV/An. Not Applicable	Web: There is no auto-playing audio included in the
• 11.8.2 (Authoring Tool)		application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		
Also applies to:		
EN 301 549 Criteria		Web: The application supports all functions being
• 9.2.1.1 (Web)	Web: Partially Supports	accessible using a keyboard with the exception of some
• 10.2.1.1 (Non-web document)	Electronic Docs:	drop down menus.
• 11.2.1.1.1 (Open Functionality Software)		
• 11.2.1.1.2 (Closed Software)		

Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.2.1.2 (Closed Software) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web) (Software) • 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.2 (Closed Software) • 11.2.1.2 (Product Docs) Web: Partially Supports Web: Partially Supports to the appropriate page element when a user navigates to and from pages elements with the exception of some drop down menus. Web: Partially Supports Web: Partially Supports Web: Not Application is appropriate page element when a user navigates to and from pages elements with the exception of some drop down menus. Web: Not Application is a web-based application that does not utilize single-character key shortcuts. Web: The application is a web-based application that does not utilize single-character key shortcuts. Web: Not Applicable Web: The application is a web-based application that does not utilize single-character key shortcuts.			
• 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Closed Software) • 11.2.1.2 (Product Docs) • 12.2.4 (Support Docs) • 501 (Web)(Software) • 501.2.4 (Authoring Tool) • 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301549 Criteria • 9.2.1.4 (Web) • 502.1.4 (Web) • 10.2.1.4 (Onen-web document) • 11.2.1.2 (Product Docs) • 504.2 (Authoring Tool) • 602.3 (Support Docs) EN 301549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.2.1 (Open Functionality Software) • 11.2.1.2 (Product Docs) • 12.1.4 (Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.2 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 11.8.2 (Authoring Tool)		
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Poduct Docs) • 12.1.2 (Fuport Docs) • 504.2 (Authoring Tool) • 504.2 (Authoring Tool) • 504.2 (Authoring Tool) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.1.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable	• 12.1.2 (Product Docs)		
501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 3015 490 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 501 (Web)(Software) 10.2.1.3 (Support Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.1 (Porduct Docs) 12.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.2 (Closed Software) 11.2.1.4.3 (Closed Software) 11.2.1.4.3 (Closed Software) 11.2.1.4 (Popen Functionality Software) 11.2.4 (Support Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable	• 12.2.4 (Support Docs)		
504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web) (Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.1 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4 (Closed Software) 11.2.1.4 (Closed Software) 11.2.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply Web: Not Applicable	Revised Section 508		
• 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 12.2.4 (Support Docs) 8 • 501 (Web) (Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.2 (Product Docs) • 12.2.4 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Froduct Docs) • 12.2.4 (Support Docs) Revised Section 508 • Does not apply Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable Not Applicable	• 501 (Web)(Software)		
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.2.1.2 (Product Docs) 12.1.2 (Product Docs) 12.1.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301549 Criteria 9.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4 (Support Docs) Revised Section 508 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.2.1.4 (Support Docs) Revised Section 508 – Does not apply Web: Not Applicable	• 504.2 (Authoring Tool)		
Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Copen Functionality Software) • 11.2.1.2 (Copen Functionality Software) • 11.2.2.4 (Support Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Revised Section 508 • 12.2.4 (Non-web document) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4 (Support Docs) Revised Section 508 – Does not apply Web: Not Applicable	602.3 (Support Docs)		
EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Closed Software) • 11.2.1.2 (Closed Software) • 11.2.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 504.2 (Authoring Tool) • 602.3 (Support Docs) EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 12.2.4 (Support Docs) Web: Partially Supports to the appropriate page element when a user navigates to and from pages elements with the exception of some drop down menus. Web: Partially Supports to the appropriate page element when a user navigates to and from pages elements with the exception of some drop down menus. Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: The application is a web-based application that does not utilize single-character key shortcuts. Web: The application is a web-based application that does not utilize single-character key shortcuts. Web: Not Applicable Also applies to: Web: Not Applicable	2.1.2 No Keyboard Trap (Level A)		
 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.4 (Product Docs) 12.2.4 (Support Docs) 80.2.3 (Support Docs) 504.2 (Authoring Tool) 602.3 (Support Docs) 21.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Qpen Functionality Software) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 12.1.2 (Product Docs) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 12.2.4 (Support	Also applies to:		
 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 21.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Glosed Software) 12.1.2 (Product Docs) Web: Not Applicable Web: Not Applicable	EN 301 549 Criteria		
 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 8 Soft (Web) (Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 22.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 11.2.1.4.2 (Closed Software) 12.2.4 (Support Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable	• 9.2.1.2 (Web)		
• 11.2.1.2 (Closed Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.2 (Closed Software) • 11.2.1.4.3 (Quentum Interventionality Software) • 11.2.1.4.4 (Support Docs) • 12.2.4 (Support Docs)	 10.2.1.2 (Non-web document) 		Wah: The application supports keyboard focus that shift
Il.2.1.2 (Closed Software) Il.8.2 (Authoring Tool) Il.8.2 (Authoring Tool) Il.8.2 (Support Docs) Revised Section 508 Sol (Web)(Software) Sol.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable	• 11.2.1.2 (Open Functionality Software)		1 ''
I.1.8.2 (Autnoring 100) 12.1.2 (Product Docs) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.8.2 (Authoring Tool) 11.8.2 (Authoring Tool) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to:	• 11.2.1.2 (Closed Software)	Web: Partially Supports	1 ,, , ,
■ 12.1.2 (Product Docs) ■ 12.2.4 (Support Docs) Revised Section 508 ■ 501 (Web)(Software) ■ 504.2 (Authoring Tool) ■ 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria ■ 9.2.1.4 (Web) ■ 10.2.1.4 (Non-web document) ■ 11.2.1.4.1 (Open Functionality Software) ■ 11.2.1.4.2 (Closed Software) ■ 11.2.1.4.2 (Closed Software) ■ 12.1.2 (Product Docs) ■ 12.1.2 (Product Docs) ■ 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 11.8.2 (Authoring Tool)		1
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable	• 12.1.2 (Product Docs)		
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply Web: Not Applicable	• 12.2.4 (Support Docs)		
 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.4 (Support Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply Web: Not Applicable	Revised Section 508		
 602.3 (Support Docs) 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to:	• 501 (Web)(Software)		
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable	• 504.2 (Authoring Tool)		
Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.8.2 (Closed Software) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply Also applies to: Web: Not Applicable	602.3 (Support Docs)		
EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable	2.1.4 Character Key Shortcuts (Level A 2.1 only)		
 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable	Also applies to:		
 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply Also applies to: Web: Not Applicable Web: The application is a web-based application that does not utilize single-character key shortcuts. 	EN 301 549 Criteria		
 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable Web: Not Applicable Web: Not Applicable	• 9.2.1.4 (Web)		
 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 10.2.1.4 (Non-web document)	Mah. Not Applicable	Web: The application is a web-based application that
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	 11.2.1.4.1 (Open Functionality Software) 	web: Not Applicable	does not utilize single-character key shortcuts.
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 11.2.1.4.2 (Closed Software)		
● 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 11.8.2 (Authoring Tool)		
Revised Section 508 – Does not apply 2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 12.1.2 (Product Docs)		
2.2.1 Timing Adjustable (Level A) Also applies to: Web: Not Applicable	• 12.2.4 (Support Docs)		
Also applies to:	Revised Section 508 – Does not apply		
Also applies to:	2.2.1 Timing Adjustable (Level A)	Mob. Not Amaliankia	
	Also applies to:	vveb: Not Applicable	
\mathbf{i}	EN 301 549 Criteria		

• 9.2.2.1 (Web)		Web: The application does not require timed responses.
• 10.2.2.1 (Non-web document)		
• 11.2.2.1 (Open Functionality Software)		
• 11.2.2.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.2 (Web)		
• 10.2.2.2 (Non-web document)		
• 11.2.2.2 (Open Functionality Software)		Web: Splunk ES does not have any long lists of results
• 11.2.2.2 (Closed Software)	Web: Not Applicable	requiring this capability
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.3.1 (Web)		M(1) = 1
• 10.2.3.1 (Non-web document)	Web: Supports	Web: The application does not have any areas that
• 11.2.3.1 (Open Functionality Software)		include blinking or flashing elements that are outside of
• 11.2.3.1 (Closed Software)		parameters defined by this standard
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		

Revised Section 508		
501 (Web)(Software)504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.1 (Web)		
• 10.2.4.1 (Non-web document) – Does not apply		
• 11.2.4.1 (Open Functionality Software) – Does not apply	M/ala Comana anta	Web: The application provides the ability to skip
• 11.2.4.1 (Closed Software) – Does not apply	Web: Supports	navigation and other page elements that may be
• 11.8.2 (Authoring Tool)		repeated across web pages where applicable.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
2.4.2 Page Titled (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.2 (Web)		
• 10.2.4.2 (Non-web document)		
• 11.2.4.2 (Open Functionality Software) - Does not apply		Web: The application uses descriptive and informative
 11.2.4.2 (Closed Software) – Does not apply 	Web: Supports	titles that are applied to pages within the application.
• 11.8.2 (Authoring Tool)		and the appropriate the property of the proper
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.3 Focus Order (Level A)	Web: Supports	Web: The application contains navigation order of UI
Also applies to:		elements like links, forms elements, etc. that is logical
EN 301 549 Criteria		and intuitive.

		_
• 9.2.4.3 (Web)		
10.2.4.3 (Non-web document)		
 11.2.4.3 (Open Functionality Software) 		
• 11.2.4.3 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.4 (Web)		Web: The purpose of each link is determined from the link text or from the link text and its context.
• 10.2.4.4 (Non-web document)		
 11.2.4.4 (Open Functionality Software) 		
• 11.2.4.4 (Closed Software	IVVAN' SIINNATE	
• 11.8.2 (Authoring Tool)		inik text of from the link text and its context.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.1 (Web)		NA/ob. This requirement is applicable only to bandhold
• 10.2.5.1 (Non-web document)	IVV/An. Not Applicable	Web: This requirement is applicable only to handheld
• 11.2.5.1 (Open Functionality Software)		devices, such as mobile phones and computer tablets
• 11.2.5.1 (Closed Software)		Splunk ES's GUI is designed for desktop and laptop use.
• 11.8.2 (Authoring Tool)	As s	As such, this requirement is not applicable.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		

2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301.549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Closed Software) 11.2.5.2 (Closed Software) 11.2.5.2 (Closed Software) 11.2.5.2 (Inserting Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 11.2.5.3 (Closed Software) 11.2.5.3 (Closed Software) 11.2.5.3 (Closed Software) 12.3.4 (Support Docs) Revised Section 508 – Does not apply 11.2.5.3 (Closed Software) 11.2.5.4 (Closed Software)	D : 10 !! 500 D !	1	
Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.2.5.3 (Support Docs) 12.2.4 (Support Docs) 12.2.4 (Support Docs) 12.2.4 (Support Docs) 12.3.3 (John Name (Level A 2.1 only) 12.3.3 (Label in Name (Level A 2.1 only) 12.5.3.3 (Vom-web document) 12.5.3.3 (Vom-web document) 12.5.3.3 (Closed Software) 11.2.5.3.3 (Closed Software) 11.2.5.3 (Closed Software) 11.2.5.4 (Support Docs) 12.2.4 (Support Docs) 12.2.4 (Support Docs) 12.3.4 (Support Docs) 12.3.4 (Support Docs) 12.3.5 (Non-web document) 12.3.5 (Non-web document) 12.3.5 (Non-web document) 12.3.6 (Non-web document) 12.3.6 (Non-web document) 12.3.7 (Product Docs) 12.3.8 (Non-web document) 12.3.8 (Non-web document) 12.3.8 (Non-web document) 13.8 (Authoring Tool) 14.1.2 (Product Docs) 15.3.4 (Non-web document) 16.3.5 (Non-web document) 17.3.5 (Non-web document) 18.5 (Non-web document) 19.5.4 (Non-web document) 19.5.5	Revised Section 508 – Does not apply		
EN 301 549 Criteria 9. 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.2.5.2 (Closed Software) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.3 (Closed Software) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: 12.1.2 (Product Docs) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.3 (Closed Software) 11.2.5.3.4 (Closed Software) 11.2.5.3 (Closed Software) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Motion Actuation (Level A 2.1 only) Also applies to: EN 301549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Closed Software) 11.2.5.4 (Clopen Functionality Software) 12.2.4 (Support Docs)	,,,		
P.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.2.5.2 (Closed Software) 11.2.5 (Closed Software) 11.2.6 (Authoring Tool) 12.1.2 (Product Docs) Poz. S. (Web) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Closed Software) 11.2.5.3.2 (Closed Software) 11.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 10.2.5.5 (Non-web document) 10.2.5 (Non-web document) 10.2.5 (Non-web document) 10.2.5 (Non-we			
• 10.2.5.2 (Non-web document) • 11.2.5.2 (Closed Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Closed Software) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.2 (Closed Software) • 11.2.5.3.2 (Closed Software) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 (Web) • 10.2.5.4 (Non-web document) • 12.1.5 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 (Web) • 10.2.5.4 (Non-web document) • 12.5.5 (Closed Software) • 12.5 (
• 10.2.5.2 (Non-Web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.2.6 (Authoring Tool) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.2 (Closed Software) • 11.2.5.3.2 (Closed Software) • 11.2.5.3.2 (Closed Software) • 11.2.5.3.2 (Closed Software) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 12.2.4 (Non-web document) • 12.2.5 (Non-web document) • 12.5.5 (Closed Software) • 12.5.6 (Closed Software) • 12.5.6 (Open Functionality Software) • 12.5.6 (Closed Software) • 12.5.7 (Closed Software) • 12.5.8 (Open Functionality Software) • 12.5.8 (Open Functionality Software) • 12.5.9 (Open Functionality Software) • 12.5.9 (Open Functionality Software) • 12.6 (Non-web document) • 12.7 (Product Docs) • 12.8 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs)	, ,		Web: This requirement is applicable only to handheld
• 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Copen Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply 2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply 2.5.3 (Mono Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Closed Software)	· · · · · · · · · · · · · · · · · · ·	Web: Not Applicable	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
11.2.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.1.2 (Product Docs) 12.1.2 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 11.2.5.3 (Closed Software) 11.2.5.4 (Closed Software) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 (Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Non-web document) 11.2.5.4 (Closed Software) 12.2.4 (Support Docs)	 11.2.5.2 (Open Functionality Software) 	Web. Not Applicable	·
• 11.8.2 (Authoring lool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.2.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 12.2.4 (Support Docs) • 12.2.4 (Support Docs) • 12.2.4 (Support Docs) • 12.2.5 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 12.2.4 (Support Docs) • 12.2.4 (Support Docs)	• 11.2.5.2 (Closed Software)		1,
 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. Web: Not Applicable Web: Not Applicabl	• 11.8.2 (Authoring Tool)		As such, this requirement is not applicable.
Revised Section 508 – Does not apply 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.2 (Closed Software) • 11.2.5.3.2 (Closed Software) • 11.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Support Docs)	• 12.1.2 (Product Docs)		
Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 11.2.5.4 (Closed Software) EN 301 549 Criteria • 9.2.5.4 (Muchoring Tool) • 12.1.2 (Authoring Tool) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 12.5.4 (Closed Software) • 12.5.4 (Closed Software) • 12.5.4 (Closed Software) • 12.5.4 (Closed Software) • 12.5.5 (Closed Software) • 12.5.6 (Closed Software) • 12.6 (Web) • 12.7.2 (Product Docs) EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.8.2 (Authoring Tool) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs)	• 12.2.4 (Support Docs)		
Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.2.5.2 (Authoring Tool) 12.2.4 (Support Docs) EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.3 ((Non-web document) 12.3.4 ((Web) 12.3.5 ((Web) 12.3.5 ((Web) 12.3.5 ((Web) 12.3.5 ((Web) 12.3.5 ((Web) 13.5 ((Closed Software) 13.5 ((Web) 14.5 ((Web) 15.5 ((Closed Software) 15.5 ((Web) 15.5 ((Web) 15.5 ((Closed Software) 15.5 ((Closed	Revised Section 508 – Does not apply		
EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Closed Software) • 11.2.5.4 (Support Docs) • 12.2.4 (Support Docs)	2.5.3 Label in Name (Level A 2.1 only)		
 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 12.1.2 (Product Docs) 12.1.2 (Product Docs) 12.1.2 (Support Docs) Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. Yeb: Not Applicable Web: Not Ap	Also applies to:		
 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Closed Software) 11.2.5.3.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Non-web document) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 11.2.5.4 (Closed Software) 12.1.2 (Product Docs) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. Explain ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. As such, this requirement is not applicable. As such, this requirement is applicable. As such, this requirement is not applicable. As such, this requirement is not applicable. As such, this requirement is applicable. As such, this requirement is not applicable. Explain ES's GUI is designed for desktop and laptop us	EN 301 549 Criteria	Web: Not Applicable	
 10.2.5.3. (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. 	• 9.2.5.3 (Web)		devices, such as mobile phones and computer tablets.
 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. 	 10.2.5.3 (Non-web document) 		
 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable As such, this requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable. As such, this requirement is not applicable. As such, this requirement is not applicable. 12.2.4 (Support Docs)	 11.2.5.3.1 (Open Functionality Software) 		
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: Not Applicable As such, this requirement is not applicable. 	• 11.2.5.3.2 (Closed Software)		1
 12.2.4 (Support Docs) Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable 	• 11.8.2 (Authoring Tool)		As such, this requirement is not applicable.
Revised Section 508 – Does not apply 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	• 12.1.2 (Product Docs)		
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	• 12.2.4 (Support Docs)		
Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	Revised Section 508 – Does not apply		
EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	2.5.4 Motion Actuation (Level A 2.1 only)		
 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	Also applies to:		
 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Web: Not Applicable Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	EN 301 549 Criteria		
 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Web: Not Applicable Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.	• 9.2.5.4 (Web)		Web: This requirement is applicable only to handheld
 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	• 10.2.5.4 (Non-web document)	NAZIO ALIA A INTERNALIA	devices, such as mobile phones and computer tablets.
 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	• 11.2.5.4 (Open Functionality Software)	vveb: Not Applicable	Splunk ES's GUI is designed for desktop and laptop use.
 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	• 11.2.5.4 (Closed Software)		As such, this requirement is not applicable.
• 12.2.4 (Support Docs)	• 11.8.2 (Authoring Tool)		
	• 12.1.2 (Product Docs)		
	• 12.2.4 (Support Docs)		
nerious section soc social to uppry	Revised Section 508 – Does not apply		

3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	IWAN. SIINNORTS	Web: The application has language attributes on the HTML element that are set on each page.
Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	IVVAN: Sunnorts	Web: The application supports the context staying the same when a component receives focus.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software)	Web: Supports	Web: Context stays the same when a user changes the setting of the user interface component unless the user has been advised.

 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 	
• 12.2.4 (Support Docs)	
Revised Section 508	
The vised Section 500	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
• 602.3 (Support Docs)	
3.3.1 Error Identification (Level A)	
Also applies to:	
EN 301 549 Criteria	
• 9.3.3.1 (Web)	
• 10.3.3.1 (Non-web document) Web: The application supports labelling for ele	monts
• 11.3.3.1.1 (Open Functionality Software)	
web: Supports	Wileie
• 11.8.2 (Authoring 1001)	
• 12.1.2 (Product Docs)	
• 12.2.4 (Support Docs)	
Revised Section 508	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
• 602.3 (Support Docs)	
3.3.2 Labels or Instructions (Level A)	
Also applies to:	
EN 301 549 Criteria	
• 9.3.3.2 (Web)	
• 10.3.3.2 (Non-web document)	
• 11.3.3.2 (Open Functionality Software) Web: The application buttons and links are lab	volod
• 11.3.3.2 (Closed Software) Web: Supports Web: The application buttons and links are lab properly throughout the application.	eieu
• 11.8.2 (Authoring Tool)	
• 12.1.2 (Product Docs)	
• 12.2.4 (Support Docs)	
Revised Section 508	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
• 602.3 (Support Docs)	

4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool)	1	Web: Elements on the pages have significant HTML/XHTML validation.
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 		Web: Elements on the page throughout most of the application support appropriate ARIA roles and labels
 11.4.1.2.2 (Closed Software) – Not required 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 		when text is not visible to the user. There are some elements which are used in the application are missing titles, names, and aria labels, but this did not affect use with screen readers
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		

Table 2: Success Criteria, Level AA

Notes: The Splunk ES application is a web-based application only. Therefore, the following references from the conformance level and remarks columns have been removed: Electronic Docs, Software, Close, and Authoring Tools.

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool)	Web: Not Applicable	Web: Captions are not offered as a core functionality in the application because no live audio content and no synchronized media is included in the core application.
 602.3 (Support Docs) 1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	Web: Audio descriptions are not offered as a core functionality in the application because no live audio content and no synchronized media is included in the core application.
1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.1.3.4 (Web)	Web: Not Applicable	Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.

• 10.1.3.4 (Non-web document)		
• 11.1.3.4 (Open Functionality Software)		
• 11.1.3.4 (Open Functionality Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.5 (Web)		Web: This requirement is applicable only to handheld
• 10.1.3.5 (Non-web document)		devices, such as mobile phones and computer tablets.
• 11.1.3.5.1 (Open Functionality Software)	Web: Not Applicable	Splunk ES's GUI is designed for desktop and laptop use.
• 11.1.3.5.2 (Closed Software)		As such, this requirement is not applicable.
• 11.8.2 (Authoring Tool)		I a a a a a a a a a a a a a a a a a a
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.3 (Web)		
• 10.1.4.3 (Non-web document)		Web: Most of the application supports the minimum
• 11.1.4.3 (Open Functionality Software)	Web: Partially Supports	contrast requirements of WCAG 2.1 AA with contrast
• 11.1.4.3 (Closed Software)	Electronic Docs:	ratio equal to or greater than 4.5:1.
• 11.8.2 (Authoring Tool)	Software:	Th
• 12.1.2 (Product Docs)	Closed:	There are certain less-essential elements that do not adhere to the standard such as certain desensitized
• 12.2.4 (Support Docs)	Authoring Tool:	
Revised Section 508		elements.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.4 Resize text (Level AA)	Web: Supports	
Also applies to:	web. Supports	Web: The application supports zooming with 3rd party
EN 301 549 Criteria		applications

• 9.1.4.4 (Web)		
• 10.1.4.4 (Non-web document)		
 11.1.4.4.1 (Open Functionality Software) 		
 11.1.4.4.2 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.5 (Web)		
• 10.1.4.5 (Non-web document)		
 11.1.4.5.1 (Open Functionality Software) 		Web: Alt-text is provided for all images that represent
 11.1.4.5.2 (Closed Software) – Does not apply 	Web: Supports	text and have contextual meaning in the application.
• 11.8.2 (Authoring Tool)		text and have contextual meaning in the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
<u>1.4.10 Reflow</u> (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.10 (Web)		
 10.1.4.10 (Non-web document) 	Web: Supports	Web: Testing with screen magnifiers did not require
 11.1.4.10 (Open Functionality Software) 		scrolling to view tables, images, and other content
• 11.1.4.10 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		

Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply	Web: Not Applicable Electronic Docs: Software: Closed: Authoring Tool:	Web: This requirement is applicable only to handheld devices, such as mobile phones and computer tablets. Splunk ES's GUI is designed for desktop and laptop use. As such, this requirement is not applicable.
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: The application supports content on hover where applicable throughout the application.
2.4.5 Multiple Ways (Level AA)	Web: Supports	

Also applies to:		Web: There are multiple ways to access links and page
EN 301 549 Criteria		content throughout the application.
• 9.2.4.5 (Web)		
 10.2.4.5 (Non-web document) – Does not apply 		
 11.2.4.5 (Open Functionality Software) – Does not apply 		
• 11.2.4.5 (Closed Software) – Does not apply		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.6 (Web)		
 10.2.4.6 (Non-web document) 		
 11.2.4.6 (Open Functionality Software) 		 Web: The application provides descriptive page headings
• 11.2.4.6 (Closed Software)	IVA/An. Sunnarts	with the labels.
• 11.8.2 (Authoring Tool)		with the labels.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		
Also applies to:		
EN 301 549 Criteria		Web: GUI focus is implemented using web browser
• 9.2.4.7 (Web)		defaults and is available to assistive technologies via the
• 10.2.4.7 (Non-web document)		web browser within the application.
 11.2.4.7 (Open Functionality Software) 		
• 11.2.4.7 (Closed Software)		
• 11.8.2 (Authoring Tool)		

	T	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.2 (Web)		
• 10.3.1.2 (Non-web document)		
 11.3.1.2 (Open Functionality Software) – Does not apply 		Web: The HTML tags on all pages includes a default
 11.3.1.2 (Closed Software) – Does not apply 	Web: Supports	language attribute in the application.
• 11.8.2 (Authoring Tool)		language attribute in the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.3 (Web)		
 10.3.2.3 (Non-web document) – Does not apply 		
 11.3.2.3 (Open Functionality Software) – Does not apply 		Web: Consistent navigation is implemented throughout
 11.3.2.3 (Closed Software) – Does not apply 	Web: Supports	the application on web pages and does not change
• 11.8.2 (Authoring Tool)		order.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		

Also applies to:		Web: The UI components with the same functionality
EN 301 549 Criteria		are consistently identified within the application.
• 9.3.2.4 (Web)		
• 10.3.2.4 (Non-web document) – Does not apply		
• 11.3.2.4 (Open Functionality Software) – Does not apply		
 11.3.2.4 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
3.3.3 Error Suggestion (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.3 (Web)		
• 10.3.3.3 (Non-web document)		
 11.3.3.3 (Open Functionality Software) 		Web: In the application, when an error occurs, users are
• 11.3.3.3 (Closed Software)	Web: Supports	provided with a text message of the error and a
• 11.8.2 (Authoring Tool)		suggestion for correction.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
EN 301 549 Criteria		 Web: Error prevention (legal, financial, and data) are not
• 9.3.3.4 (Web)	IVA/An: Not Annlicable	applicable to the Splunk ES application.
• 10.3.3.4 (Non-web document)		מאטוונמטוב נט נווב שומווג בש מאטוונמנוטוו.
• 11.3.3.4 (Open Functionality Software)		
• 11.3.3.4 (Closed Software)		
• 11.8.2 (Authoring Tool)		

 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: The application supports important status messages being present when focus is not set to that message.

Table 3: Success Criteria, Level AAA

Notes: The Splunk ES application was not evaluated for Level AAA.

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.2.8 Media Alternative (Prerecorded) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.2.9 Audio-only (Live) (Level AAA)	Web: Not Evaluated	Web: Not Evaluated
EN 301 549 Criteria – Does not apply	Web. Not Evaluated	INOT Evaluated

	-	1
Revised Section 508 – Does not apply		
1.3.6 Identify Purpose (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.4.6 Contrast (Enhanced) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.4.7 Low or No Background Audio (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.4.8 Visual Presentation (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
1.4.9 Images of Text (No Exception) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.1.3 Keyboard (No Exception) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.2.3 No Timing (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.2.4 Interruptions (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.2.5 Re-authenticating (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.2.6 Timeouts (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.3.2 Three Flashes (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
200		<u> </u>

2.3.3 Animation from Interactions (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	 Web: Not Evaluated
Revised Section 508 – Does not apply		
2.4.8 Location (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.4.9 Link Purpose (Link Only) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.4.10 Section Headings (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.5.5 Target Size (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 only)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.1.3 Unusual Words (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.1.4 Abbreviations (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.1.5 Reading Level (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.1.6 Pronunciation (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.2.5 Change on Request (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		
3.3.5 Help (Level AAA)	Web: Not Evaluated	Web: Not Evaluated

EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply		
3.3.6 Error Prevention (All) (Level AAA)		
EN 301 549 Criteria – Does not apply	Web: Not Evaluated	Web: Not Evaluated
Revised Section 508 – Does not apply		

Revised Section 508 Report

Notes:

Chapter 3: <u>Functional Performance Criteria</u> (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Screen readers can access the different UI elements within the application with the exception of some drop down menus.
302.2 With Limited Vision	Supports	The application supports standard browser magnification and contrast adjustments
302.3 Without Perception of Color	Partially Supports	Most of the application supports the minimum contrast requirements of WCAG 2.1 AA with contrast ratio equal to or greater than 4.5:1. There are certain less-essential elements that do not adhere to the standard.
302.4 Without Hearing	Not Applicable	The application does not include audio-only features that require hearing to be used.
302.5 With Limited Hearing	Not Applicable	The application does not include audio-only features that require hearing to be used.
302.6 Without Speech	Not Applicable	The application does not require speech input.
302.7 With Limited Manipulation	Supports	The application supports standard input mechanisms such as user-provided keyboards and pointing devices.

302.8 With Limited Reach and Strength	Supports	The application supports standard input mechanisms such as user-provided keyboards and pointing devices.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	Product uses a logical focus order, and provides capabilities for specifying error text for user interface components configured by application designers

Chapter 4: <u>Hardware</u>

Notes: Splunk ES is a web-based application only and not subject to the requirements of this section.

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
402.1 General	Heading cell – no response required	Heading cell – no response required
402.2 Speech-Output Enabled	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen	Not Applicable	
402.2.2 Transactional Outputs	Not Applicable	
402.2.3 Speech Delivery Type and Coordination	Not Applicable	
402.2.4 User Control	Not Applicable	
402.2.5 Braille Instructions	Not Applicable	
402.3 Volume	Heading cell – no response required	Heading cell – no response required
402.3.1 Private Listening	Not Applicable	
402.3.2 Non-private Listening	Not Applicable	
402.4 Characters on Display Screens	Not Applicable	
402.5 Characters on Variable Message Signs	Not Applicable	
403 Biometrics	Heading cell – no response required	Heading cell – no response required
403.1 General	Not Applicable	
404 Preservation of Information Provided for Accessibility	Heading cell – no response required	Heading cell – no response required
404.1 General	Not Applicable	
<u>405 Privacy</u>	Heading cell – no response required	Heading cell – no response required
405.1 General	Not Applicable	
406 Standard Connections	Heading cell – no response required	Heading cell – no response required
406.1 General	Not Applicable	

407 Operable Parts	Heading cell – no response required	Heading cell – no response required
407.2 Contrast	Not Applicable	
407.3 Input Controls	Heading cell – no response required	Heading cell – no response required
407.3.1 Tactilely Discernible	Not Applicable	
407.3.2 Alphabetic Keys	Not Applicable	
407.3.3 Numeric Keys	Not Applicable	
407.4 Key Repeat	Not Applicable	
407.5 Timed Response	Not Applicable	
407.6 Operation	Not Applicable	
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	
407.8 Reach Height and Depth	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane	Not Applicable	
407.8.1.1 Vertical Plane for Side Reach	Not Applicable	
407.8.1.2 Vertical Plane for Forward Reach	Not Applicable	
407.8.2 Side Reach	Not Applicable	
407.8.2.1 Unobstructed Side Reach	Not Applicable	
407.8.2.2 Obstructed Side Reach	Not Applicable	
407.8.3 Forward Reach	Not Applicable	
407.8.3.1 Unobstructed Forward Reach	Not Applicable	
407.8.3.2 Obstructed Forward Reach	Not Applicable	
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not Applicable	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Not Applicable	
<u>408 Display Screens</u>	Heading cell – no response required	Heading cell – no response required
408.2 Visibility	Not Applicable	
408.3 Flashing	Not Applicable	
<u>409 Status Indicators</u>	Heading cell – no response required	Heading cell – no response required
409.1 General	Not Applicable	
410 Color Coding	Heading cell – no response required	Heading cell – no response required
410.1 General	Not Applicable	
<u>411 Audible Signals</u>	Heading cell – no response required	Heading cell – no response required
411.1 General	Not Applicable	
412 ICT with Two-Way Voice Communication	Heading cell – no response required	Heading cell – no response required
412.2 Volume Gain	Heading cell – no response required	Heading cell – no response required

		_
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	
412.3 Interference Reduction and Magnetic Coupling	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets	Not Applicable	
412.3.2 Wireline Handsets	Not Applicable	
412.4 Digital Encoding of Speech	Not Applicable	
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID	Not Applicable	
412.7 Video Communication	Not Applicable	
412.8 Legacy TTY Support	Heading cell – no response required	Heading cell – no response required
412.8.1 TTY Connectability	Not Applicable	
412.8.2 Voice and Hearing Carry Over	Not Applicable	
412.8.3 Signal Compatibility	Not Applicable	
412.8.4 Voice Mail and Other Messaging Systems	Not Applicable	
413 Closed Caption Processing Technologies	Heading cell – no response required	Heading cell – no response required
413.1.1 Decoding and Display of Closed Captions	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	
414 Audio Description Processing Technologies	Heading cell – no response required	Heading cell – no response required
414.1.1 Digital Television Tuners	Not Applicable	
414.1.2 Other ICT	Not Applicable	
415 User Controls for Captions and Audio Descriptions	Heading cell – no response required	Heading cell – no response required
415.1.1 Caption Controls	Not Applicable	
415.1.2 Audio Description Controls	Not Applicable	

Chapter 5: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required

502.2.1 User Control of Accessibility Features	Not Applicable	Splunk ES is web based and is not considered platform software as defined by
		Section 508.
		Application is compatible with browser and
502.2.2 No Disruption of Accessibility Features	Supports	O/S accessibility features configured by the
502.2 Accessibility Commission	Handing all the second of the second	user.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
		The application uses WAI-ARIA attributes
502.3.1 Object Information	Supports	to describe the role, state, and description
		of user interface elements to Assistive
		Technologies.
		The application product uses standard
502.3.2 Modification of Object Information	Supports	HTML or ARIA object roles for compatibility
		with assistive technologies.
		The application uses standard HTML
502.3.3 Row, Column, and Headers	Supports	attributes to define table structure and
Social nois, column, and neaders	Supports	relationships, including column and row
		headers, to Assistive Technologies.
		The application uses standard HTML or
502.3.4 Values	Supports	ARIA object attributes for maximum
		compatibility with assistive technologies.
		The application uses standard HTML or
502.3.5 Modification of Values	Supports	ARIA object attributes for maximum
		compatibility with assistive technologies.
		The application uses standard HTML and
502.3.6 Label Relationships	Supports	WAI-ARIA attributes to describe label
302.3.0 Laber Relationships	Supports	relationships of user interface elements to
		Assistive Technologies.
		The application uses standard HTML
502.3.7 Hierarchical Relationships	Supports	markup to express hierarchical
		relationships.
		The application renders strings as plain text
502.3.8 Text	Supports	values in HTML for maximum compatibility
		with assistive technologies.

502.3.9 Modification of Text	Supports	The application renders strings as plain text values in HTML for maximum compatibility
		with assistive technologies.
		The application uses standard HTML or
502.3.10 List of Actions	Supports	ARIA object attributes for maximum
		compatibility with assistive technologies.
		The application uses standard HTML or
502.3.11 Actions on Objects	Supports	ARIA object attributes for maximum
		compatibility with assistive technologies.
		The application uses visual changes to
502.3.12 Focus Cursor	Supports	elements to indicate the current position of
		focus.
		The application uses standard HTML
502.3.13 Modification of Focus Cursor	Supports	elements with standard cursor controls for
		user input.
		Notification of event changes were
502.3.14 Event Notification	Supports	confirmed through manual testing using
		assisted technology tools
FO2 4 Platforms Associability Fostures	Not Applicable	Splunk ES is not considered platform
502.4 Platform Accessibility Features	Not Applicable	software as defined by Section 508
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The application respects user preferences
505.2 Oser Preferences	Supports	from platform or OS settings.
503.3 Alternative User Interfaces	Not Applicable	Application does not provide alternative
505.5 Alternative oser interfaces	Not Applicable	users interfaces
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	Product does not use captions
503.4.2 Audio Description Controls	Not Applicable	Product does not use audio description
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not	Soo MCAC 2 y sostion	See information in WCAG 2.x section
applicable")	See <u>WCAG 2.x</u> section	See information in wead 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format	Not Applicable	Product is not an authoring tool
Conversion	Not Applicable	Product is not an authoring tool
504.2.2 PDF Export	Not Applicable	Product is not an authoring tool

504.3 Prompts	Not Applicable	Product is not an authoring tool
504.4 Templates	Not Applicable	Product is not an authoring tool

Chapter 6: Support Documentation and Services

Notes: Splunk ES does not include non-web documents and is, therefore, not subject to the requirements of this section.

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	
603.3 Accommodation of Communication Needs	Not Applicable	

EN 301 549 Report

Notes:

Chapter 4: Functional Performance Statements (FPS)

Notes: The conformance levels below are based on the European standards.

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Screen readers can access the different UI elements within the application with the exception of some drop down menus.
4.2.2 Usage with limited vision	Supports	The application supports standard browser magnification and contrast adjustments.
4.2.3 Usage without perception of colour	Partially Supports	Most of the application supports the minimum contrast requirements of WCAG 2.1 AA with contrast ratio equal to or greater than 4.5:1. There are certain less-essential elements that do not adhere to the standard.
4.2.4 Usage without hearing	Not Applicable	The application does not include audio-only features that require hearing to be used.
4.2.5 Usage with limited hearing	Not Applicable	The application does not include audio-only features that require hearing to be used.
4.2.6 Usage with no or limited vocal capability	Not Applicable	The application does not require speech input.
4.2.7 Usage with limited manipulation or strength	Supports	The application supports standard input mechanisms such as user-provided keyboards and pointing devices.
4.2.8 Usage with limited reach	Supports	The application supports standard input mechanisms such as user-provided keyboards and pointing devices.

4.2.9 Minimize photosensitive seizure triggers	Not Applicable	Product does not use photosensitive triggers
4.2.10 Usage with limited cognition, language or learning	Supports	Product uses a logical focus order, and provides capabilities for specifying error text for user interface components configured by application designers
4.2.11 Privacy	Supports	Product does not impede usage of standard privacy controls alongside assistive technologies. For example, users can connect a headset for private listening to screen reader announcements.

Chapter 5: Generic Requirements

Notes: Splunk ES is a web-based application only and does not fit the definition of an Information and Communication Technology (ICT).

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	

5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

Chapter <u>6: ICT with Two-Way Voice Communication</u>

Notes: Splunk ES is a web-based application only and does not fit the definition of an Information and Communication Technology (ICT).

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not Applicable	

6.2 Real-time text (RTT) functionality	Heading cell – no response required	Heading cell – no response required
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display	Not Applicable	
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	Heading cell – no response required	Heading cell – no response required
6.5.1 General (informative)	Heading cell – no response required	Heading cell – no response required
6.5.2 Resolution	Not Applicable	
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	
6.6 Alternatives to video-based services (advisory only)	Advisory – no response required	Advisory – no response required

Chapter 7: ICT with Video Capabilities

Notes: Splunk ES is a web-based application only and does not fit the definition of an Information and Communication Technology (ICT).

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: Hardware

Notes: Splunk ES is a web-based application only and not subject to the requirements of this section.

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements	Heading cell – no response required	Heading cell – no response required
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	Heading cell – no response required	Heading cell – no response required

_	
Not Applicable	
Heading cell – no response required	Heading cell – no response required
Not Applicable	
	Not Applicable Not Applicable Not Applicable Heading cell – no response required Not Applicable Not Applicable

8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	Heading cell – no response required	Heading cell – no response required
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical parts	Not Applicable	
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

Chapter 9: Web (see WCAG 2.x section)

Notes:

Chapter 10: Non-Web Software

Notes: Splunk ES is a web-based application only and not subject to the requirements of this section.

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	Supports	Application uses standard platform accessibility services.
11.5.2.4 Assistive technology	Not Applicable	The application is not itself an assistive technology.
11.5.2.5 Object information	Supports	The Application uses WAI-ARIA attributes to describe the role, state, and description of user interface elements to Assistive Technologies.
11.5.2.6 Row, column, and headers	Supports	The application uses standard HTML attributes to define table structure and relationships, including column and row headers, to Assistive Technologies.
11.5.2.7 Values	Supports	The application uses standard HTML or ARIA object attributes for maximum compatibility with assistive technologies.
11.5.2.8 Label relationships	Supports	The application uses standard HTML and WAI-ARIA attributes to describe label relationships of user interface elements to Assistive Technologies.

11.5.2.9 Parent-child relationships	Supports	The application uses standard HTML markup to express hierarchical relationships.
11.5.2.10 Text	Supports	The application renders strings as plain text values in HTML for maximum compatibility with assistive technologies.
11.5.2.11 List of available actions	Supports	The application uses standard HTML or ARIA object attributes for maximum compatibility with assistive technologies.
11.5.2.12 Execution of available actions	Supports	The application uses standard HTML or ARIA object attributes for maximum compatibility with assistive technologies.
11.5.2.13 Tracking of focus and selection attributes	Supports	The application uses standard HTML elements with standard cursor controls for user input.
11.5.2.14 Modification of focus and selection attributes	Supports	The application uses standard HTML elements with standard cursor controls for user input.
11.5.2.15 Change notification	Supports	Notification of event changes were confirmed through manual testing using assisted technology tools
11.5.2.16 Modifications of states and properties	Supports	Notification of changes in states and properties were confirmed through manual testing using assisted technology tools
11.5.2.17 Modifications of values and text	Supports	The application uses standard HTML elements with standard cursor controls for user input.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	Application is not considered platform software as defined by EN 301 549.
11.6.2 No disruption of accessibility features	Supports	Application does not disrupt platform or OS settings
11.7 User preferences	Supports	The application respects user preferences from platform or OS settings.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required

11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
	(If not an authoring tool, enter "Not	
	Applicable")	
11.8.3 Preservation of accessibility information in transformations	Not Applicable	Product is not an authoring tool
11.8.4 Repair assistance	Not Applicable	Product is not an authoring tool
11.8.5 Templates	Not Applicable	Product is not an authoring tool

Chapter 12: Documentation and Support Services

Notes: Splunk ES is a web-based application only and not subject to the requirements of this section. There are no support services embedded in the application that would require accessibility testing.

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	
12.1.2 Accessible documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Splunk ES is a web-based application only and does not fit the definition of an Information and Communication Technology (ICT).

Criteria	Conformance Level	Remarks and Explanations
13.1 Relay services requirements	Heading cell – no response required	Heading cell – no response required
13.1.2 Text relay services	Not Applicable	

13.1.3 Sign relay services	Not Applicable	
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

Splunk Legal Disclaimer

This document is provided for informational purposes only and the contents hereof are subject to change without notice. **Splunk Inc.** ("Splunk") does not warrant that this document is error free, nor does it provide any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. Splunk specifically disclaims any liability with respect to this document and no contractual obligations are formed either directly or indirectly by this document. Splunk further makes no representation concerning the ability of assistive technologies or other products to interoperate with Splunk products. This document addresses the named product(s) only and not prerequisite products or optional products.